JUN 1 0 2003

Hand Biomechanics Lab

K030519
page 1 of 1

510(k) Summary

Hand Biomechanics Lab, Inc.
77 Scripps Drive, Suite 104
Sacramento, CA 95825-6209

Contact: Timothy R. Stallings
Phone: (916) 923-5073
Fax: (916) 920-2215
Email: tstallings@handbiolab.com

Prepared February 18, 2003

Name of Device:

Regulatory Classification:	Class II
Classification Name:	Component, Traction, Invasive [888.3040]
Common Name:	External Fixator System
Trade Name/ Proprietary Name:	WristJack System (remanufactured), sterile, Item No. CFD-147-RS WristJack System (remanufactured), non-sterile, Item No. CFD-147-RNS
Performance Standards:	No performance standards exist for this device.

Predicate Device:

Agee WristJack Fracture Reduction System (sterile), Item No. CFD-147, K984442

Description of Device:

The WristJack System is an external fixation system used for reduction and fixation of distal radius fractures. The system includes an adjustable reduction/fixation frame (fixator), application instrumentation and skeletal fixation pins.

The fixator element has multiple adjustments to aid in fracture reduction and stabilization of distal radius fractures. The device and instrumentation are constructed of polyetherimide resin, stainless steel, titanium and aluminum alloy. The fixation pins are constructed of implant grade 316 stainless steel per ASTM F138.

Intended Use:

Fracture reduction and external fixation for treatment of distal radius fractures.

Technological Characteristics Compared to Predicate Device:

All device components and materials of the WristJack System (remanufactured) are identical to the device components and materials of the predicate device. The subject device is reprocessed and delivered to the customer in either sterile or non-sterile form. In the non-sterile model, the customer is responsible for sterilization before use. The predicate device is supplied sterile.

DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUN 1 0 2003

Mr. Timothy R. Stallings
Manufacturing Manager
Hand Biomechanics Lab, Inc.
77 Scripps Drive, Suite 104
Sacramento, California 95825

Re: K030519
Trade/Device Name: WristJack System (remanufactured) sterile and non-sterile
Regulation Number: 21 CFR 888.3040
Regulation Name: Smooth or threaded metallic bone fixation fastener
Regulatory Class: II
Product Code: JEC
Dated: May 23, 2003
Received: May 29, 2003

Dear Mr. Stallings:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html

Sincerely yours,

Miriam C. Provost

for Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative and
Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K030519

Device Name: WristJack System (remanufactured)

Indications For Use:

Fracture reduction and external fixation for treatment of distal radius fractures.

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Miriam C. Provost

(Division Sign-Off)
Division of General, Restorative and Neurological Devices

510(k) Number K030519

Prescription Use _____ OR Over-The-Counter Use _____
(Per 21 CFR 801.109)

(Optional Format 1-2-96)